Author index for papers in Volume 34

Pages are numbered consecutively through the volume: 1–136, January; 137–448, March/May; 449–632, July; 633–792, September; and 793–951, November.

A'ın, K. Y.
875 see Yu, M. L.

Angilello, J.
916 see Giess, E. A.

Auslander, M. A.
98 *Managing programs and libraries in AIX Version 3 for RISC System/6000 processors*

Bakoglu, H. B., G. F. Grohoski, and R. K. Montoye
12 *The IBM RISC System/6000 processor: Hardware overview*

Bakoglu, H. B.
78 see Ratiu, I. M.

Bassett, R. W., M. E. Turner, J. H. Panner, P. S. Gillis, S. F. Oakland, and D. W. Stout
339 *Boundary-scan design principles for efficient LSSD ASIC testing*

Beach, D. B.
795 *Design of low-temperature thermal chemical vapor deposition processes*

Beh, C. C.
299 see Motika, F.

Beha, H.
173 see Clauberg, R.

Blacha, A.
173 see Clauberg, R.

Blair, J. D.
416 see Oakland, S. F.

Bocash, K. C.
428 see Van Horn, J. J.

Bossis, T. L.
276 see Vida-Torku, E. K.

Bronner, G. B.
816 see Ginsberg, B. J.

Brunner, M.
189 see Winkler, D.

Bula, O., J. Moser, J. Trinko, W. Weissman, and F. Woytowich
325 *Gross delay defect evaluation for a CMOS logic design system product*

Burghartz, J.
816 see Ginsberg, B. J.

Cataldo, J. K.
601 see Deutsch, A.

Chang, A., M. F. Mergen, R. K. Rader, J. A. Roberts, and S. L. Porter
105 *Evolution of storage facilities in AIX Version 3 for RISC System/6000 processors*

Chang, T. H. P.
452 see Sai-Halasz, G. A.

Chiu, G.
204 see May. P.

Clauberg, R., H. Beha, A. Blacha, and H. K. Seitz
173 *Picosecond photoemission probing of integrated circuits: Capabilities, limitations, and applications*

Cocke, John and V. Markstein
4 *The evolution of RISC technology at IBM*

Cook, R. F.
916 see Giess, E. A.

Cooper, E. I.
916 see Giess, E. A.

Cooper, E. S.
668 *Disk file access-time constraints imposed by magnetic air-bearing compliance*

Corr, J. L.
416 see Oakland, S. F.

Daehn, W., T. W. Williams, and K. D. Wagner
363 *Aliasing errors in linear automata used as multiple-input signature analyzers*

Deckert, K. L.
660 *Computer-aided design of slider bearings in magnetic disk files*

Author index for papers in Volume 34

Pages are numbered consecutively through the volume: 1–136, January; 137–448, March/May; 449–632, July; 633–792, September; and 793–951, November.

A'ın, K. Y.
875 see Yu, M. L.

Angilello, J.
916 see Giess, E. A.

Auslander, M. A.
98 *Managing programs and libraries in AIX Version 3 for RISC System/6000 processors*

Bakoglu, H. B., G. F. Grohoski, and R. K. Montoye
12 *The IBM RISC System/6000 processor: Hardware overview*

Bakoglu, H. B.
78 see Ratiu, I. M.

Bassett, R. W., M. E. Turner, J. H. Panner, P. S. Gillis, S. F. Oakland, and D. W. Stout
339 *Boundary-scan design principles for efficient LSSD ASIC testing*

Beach, D. B.
795 *Design of low-temperature thermal chemical vapor deposition processes*

Beh, C. C.
299 see Motika, F.

Beha, H.
173 see Clauberg, R.

Blacha, A.
173 see Clauberg, R.

Blair, J. D.
416 see Oakland, S. F.

Bocash, K. C.
428 see Van Horn, J. J.

Bossis, T. L.
276 see Vida-Torku, E. K.

Bronner, G. B.
816 see Ginsberg, B. J.

Brunner, M.
189 see Winkler, D.

Bula, O., J. Moser, J. Trinko, W. Weissman, and F. Woytowich
325 *Gross delay defect evaluation for a CMOS logic design system product*

Burghartz, J.
816 see Ginsberg, B. J.

Cataldo, J. K.
601 see Deutsch, A.

Chang, A., M. F. Mergen, R. K. Rader, J. A. Roberts, and S. L. Porter
105 *Evolution of storage facilities in AIX Version 3 for RISC System/6000 processors*

Chang, T. H. P.
452 see Sai-Halasz, G. A.

Chiu, G.
204 see May. P.

Clauberg, R., H. Beha, A. Blacha, and H. K. Seitz
173 *Picosecond photoemission probing of integrated circuits: Capabilities, limitations, and applications*

Cocke, John and V. Markstein
4 *The evolution of RISC technology at IBM*

Cook, R. F.
916 see Giess, E. A.

Cooper, E. I.
916 see Giess, E. A.

Cooper, E. S.
668 *Disk file access-time constraints imposed by magnetic air-bearing compliance*

Corr, J. L.
416 see Oakland, S. F.

Daehn, W., T. W. Williams, and K. D. Wagner
363 *Aliasing errors in linear automata used as multiple-input signature analyzers*

Deckert, K. L.
660 *Computer-aided design of slider bearings in magnetic disk files*

DeGelormo, J. F.
495 see Jackson, T. N.

DeGuise, W. J.
416 see Oakland, S. F.

Dennard, R. H.
452 see Sai-Halasz, G. A.

Deutsch, A., G. V. Kopcsay, V. A. Ranieri, J. K. Cataldo, E. A. Galligan, W. S. Graham, R. P. McGouey, S. L. Nunes, J. R. Paraszczak, J. J. Ritsko, R. J. Serino, D. Y. Shih, and J. S. Wilczynski
601 *High-speed signal propagation on lossy transmission lines*

Dukovic, J. O.
693 *Computation of current distribution in electrodeposition, a review*

El-Kareh, B., W. R. Tonti, and S. L. Titcomb
243 *A submicron MOSFET parameter extraction technique*

Farouki, R. T. and T. Sakkalis
736 *Pythagorean hodographs*

Farrow, R. F. C., C. H. Lee, and S. S. P. Parkin
903 *Magnetic multilayer structures*

Fischetti, M. V.
466 see Laux, S. E.

Fischetti, M. V.
530 see Heiblum, M.

Fox, F., J. Kölzer, J. Otto, and E. Plies
215 *A submicron electron-beam tester for VLSI circuits beyond the 4-Mb DRAM*

Frank, D. J.
466 see Laux, S. E.

Frank, D. J.
506 see Kiehl, R. A.

Frank, D. J.
550 see Tiwari, S.

Gallagher, W. J.
916 see Giess, E. A.

Galligan, E. A.
601 see Deutsch, A.

Ganin, E.
452 see Sai-Halasz, G. A.

Giess, E. A., R. L. Sandstrom, W. J. Gallagher, A. Gupta, S. L. Shinde, R. F. Cook, E. I. Cooper, E. J. M. O'Sullivan, J. M. Roldan, A. P. Segmüller, and J. Angilello
916 *Lanthanide gallate perovskite-type substrates for epitaxial, high-T_c superconducting $Ba_2YCu_3O_{7-\delta}$ films*

Gillis, P. S.
339 see Bassett, R. W.

Ginsberg, B. J., J. Burghartz, G. B. Bronner, and S. R. Mader
816 *Selective epitaxial growth of silicon and some potential applications*

Gnudi, Antonio
227 see Restle, Phillip

Golladay, S. D., N. A. Wagner, J. R. Rudert, and R. N. Schmidt
250 *Electron-beam technology for open/short testing of multi-chip substrates*

Golumbic, M. C. and V. Rainish
93 *Instruction scheduling beyond basic blocks*

Graham, W. S.
601 see Deutsch, A.

Grill, A., B. S. Meyerson, and V. V. Patel
849 *Diamondlike carbon films by rf plasma-assisted chemical vapor deposition from acetylene*

Grohoski, G. F.
37 *Machine organization of the IBM RISC System/6000 processor*

Grohoski, G. F.
12 see Bakoglu, H. B.

Groves, R. D.
23 see Oehler, R. R.

Gupta, A.
916 see Giess, E. A.

Halbout, J.-M.
204 see May, P.

Harder, Ch. S., B. J. Van Zeghbroeck, M. P. Kesler, H. P. Meier, P. Vettiger, D. J. Webb, and P. Wolf
568 *High-speed GaAs/AlGaAs optoelectronic devices for computer applications*

Heiblum, M. and M. V. Fischetti
530 *Ballistic hot-electron transistors*

Heinrich, H. K.
162 *Picosecond noninvasive optical detection of internal electrical signals in flip-chip-mounted silicon integrated circuits*

Heller, W. R.
299 see Motika, F.

Herman, D. A.
884 see Speriosu, V. S.

Hoffman, D. E.
260 see Rodriguez, C. W.

Hokenek, E. and R. K. Montoye
71 *Leading-zero anticipator (LZA) in the IBM RISC System/6000 floating-point execution unit*

Hokenek, E.
59 see Montoye, R. K.

Hortensius, P. D., R. C. McLeod, and B. W. Podaima
389 *Cellular automata circuits for built-in self-test*

Huisman, Leendert M.
289 *Simulation of embedded memories by defective hashing*

Jackson, T. N., B. J. Van Zeghbroeck, G. Pepper, J. F. DeGelormo, T. Keuch, H. Meier, and P. Wolf
495 *Submicron-gate-length GaAs MESFETs*

Jones, F. and J. S. Logan
680 *A simple finite element model for reactive sputter-deposition systems*

Joshi, R. V.
875 see Yu, M. L.

Katcoff, D. L.
718 see Shareef, I. A.

Keller, B. L. and T. J. Snethen
406 *Built-in self-test support in the IBM Engineering Design System*

Kern, D. P.
452 see Sai-Halasz, G. A.

Kesler, M. P.
568 see Harder, Ch. S.

Kölzer, J.
215 see Fox, F.

Keuch, T.
495 see Jackson, T. N.

Kiehl, R. A., P. M. Solomon, and D. J. Frank
506 *Heterojunction FETs in III–V compounds*

Kopcsay, G. V.
601 see Deutsch, A.

Laux, S. E., M. V. Fischetti, and D. J. Frank
466 *Monte Carlo analysis of semiconductor devices: The DAMOCLES program*

Lee, C. H.
903 see Farrow, R. F. C.

Lischke, B.
189 see Winkler, D.

Logan, J. S.
680 see Jones, F.

Mader, S. R.
816 see Ginsberg, B. J.

Maldonado, J. R.
718 see Shareef, I. A.

Mäntylä, M.
636 *A modeling system for top-down design of assembled products*

Markstein, P. W.
111 *Computation of elementary functions on the IBM RISC System/6000 processor*

Markstein, V.
4 see Cocke, John

May, P., Y. Pastol, J.-M. Halbout, and G. Chiu
204 *Picosecond photoelectron microscope for high-speed testing of integrated circuits*

McGouey, R. P.
601 see Deutsch, A.

McLeod, R. D.
389 see Hortensius, P. D.

Meier, H.
495 see Jackson, T. N.

Meier, H. P.
568 see Harder, Ch. S.

Mergen, M. F.
105 see Chang, A.

Meyerson, B. S.
806 *Low-temperature Si and Si:Ge epitaxy by ultrahigh-vacuum/chemical vapor deposition: Process fundamentals*

Meyerson, B. S.
849 see Grill, A.

Milenkovic, V. J. and L. R. Nackman
753 *Finding compact coordinate representations for polygons and polyhedra*

Montoye, R. K., E. Hokenek, and S. L. Runyon
59 *Design of the IBM RISC System/6000 floating-point execution unit*

Montoye, R. K.
12 see Bakoglu, H. B.

Montoye, R. K.
71 see Hokenek, E.

Monzel, J. A.
276 see Vida-Torku, E. K.

Moser, J.
325 see Bula, O.

Motika, F., N. N. Tendokar, C. C. Beh, W. R. Heller, C. E. Radke, and P. J. Nigh
299 *A logic chip delay-test method based on system timing*

Nackman, L. R.
753 see Milenkovic, V. J.

Neff, C. A.
770 *Finding the distance between two circles in three-dimensional space*

Nigh, P. J.
299 see Motika, F.

Norman, R. D.
416 see Oakland, S. F.

Nunes, S. L.
601 see Deutsch, A.

Oakland, S. F., J. L. Corr, J. D. Blair, R. D. Norman, and W. J. DeGuise
416 *Self-testing the 16-Mbps adapter chip for the IBM token-ring local area network*

Oakland, S. F.
339 see Bassett, R. W.

Oehler, R. R. and R. D. Groves
23 *IBM RISC System/6000 processor architecture*

O'Sullivan, E. J. M.
916 see Giess, E. A.

Otto, J.
215 see Fox, F.

Panner, J. H.
339 see Bassett, R. W.

Paraszczak, J. R.
601 see Deutsch, A.

Parkin, S. S. P.
903 see Farrow, R. F. C.

Pastol, Y.
204 see May, P.

Patel, V. V.
849 see Grill, A.

Pearson, D. J.
858 see Small, M. B.

Pepper, G.
495 see Jackson, T. N.

Plies, E.
215 see Fox, F.

Podaima, B. W.
389 see Hortensius, P. D.

Porter, S. L.
105 see Chang, A.

Prilik, R. J.
428 see Van Horn, J. J.

Rader, R. K.
105 see Chang, A.

Radke, C. E.
299 see Motika, F.

Radke, C. E.
276 see Vida-Torku, E. K.

Rainish, V.
93 see Golumbic, M. C.

Ranieri, V. A.
601 see Deutsch, A.

Ratiu, I. M. and H. B. Bakoglu
78 *Pseudorandom built-in self-test methodology and implementation for the IBM RISC System/6000 processor*

Restle, Phillip and Antonio Gnudi
227 *Internal probing of submicron FETs and photoemission using individual oxide traps*

Ritsko, J. J.
601 see Deutsch, A.

Rishton, S. A.
452 see Sai-Halasz, G. A.

Roberts, J. A.
105 see Chang, A.

Rodriguez, C. W. and D. E. Hoffman
260 *The development of ultra-high-frequency VLSI device test systems*

Roldan, J. M.
916 see Giess, E. A.

Rubin, B. J.
585 *An electromagnetic approach for modeling high-performance computer packages*

Rudert, J. R.
250 see Golladay, S. D.

Runyon, S. L.
59 see Montoye, R. K.

Sai-Halasz, G. A., M. R. Wordeman, D. P. Kern, S. A. Rishton, E. Ganin, T. H. P. Chang, and R. H. Dennard
452 *Experimental technology and performance of 0.1-μm-gate-length FETs operated at liquid-nitrogen temperature*

Sakkalis, T.
736 see Farouki, R. T.

Sanders, I. L.
884 see Speriosu, V. S.

Sandstrom, R. L.
916 see Giess, E. A.

Savir, J.
381 *Improved cutting algorithm*

Schmidt, R. N.
250 see Golladay, S. D.

Schmitt, R.
189 see Winkler, D.

Segmüller, A. P.
916 see Giess, E. A.

Seitz, H. K.
173 see Clauberg, R.

Serino, R. J.
601 see Deutsch, A.

Shareef, I. A., J. R. Maldonado, Y. Vladimirsky, and D. L. Katcoff
718 *Thermoelastic behavior of X-ray lithography masks during irradiation*

Shih, D. Y.
601 see Deutsch, A.

Shinde, S. L.
916 see Giess, E. A.

Small, M. B. and D. J. Pearson
858 *On-chip wiring for VLSI: Status and directions*

Snethen, T. J.
406 see Keller, B. L.

Solomon, P. M.
506 see Kiehl, R. A.

Speriosu, V. S., D. A. Herman, I. L. Sanders, and T. Yogi
884 *Magnetic thin films in recording technology*

Starke, Cordt W.
355 *Design for testability and diagnosis in a VLSI CMOS System/370 processor*

Stout, D. W.
339 see Bassett, R. W.

Tendolkar, N. N.
299 see Motika, F.

Tischler, M. A.
828 *Advances in metalorganic vapor-phase epitaxy*

Titcomb, S. L.
243 see El-Kareh, B.

Tiwari, S., S. L. Wright, and D. J. Frank
550 *Compound semiconductor heterostructure bipolar transistors*

Tonti, W. R.
243 see El-Kareh, B.

Trinko, J.
325 see Bula, O.

Tu, K. N.
868 *Surface and interfacial energies of $CoSi_2$ and Si films: Implications regarding formation of three-dimensional silicon–silicide structures*

Turner, M. E.
339 see Bassett, R. W.

Van Horn, J. J., R. A. Waller, R. J. Prilik, and K. C. Bocash
428 *LAN interface chip and mixed-signal testing developments*

Van Zeghbroeck, B. J.
568 see Harder, Ch. S.

Van Zeghbroeck, B. J.
495 see Jackson, T. N.

Vettiger, P.
568 see Harder, Ch. S.

Vida-Torku, E. K., J. A. Monzel, T. L. Bossis, C. E. Radke, and D. M. Wu
276 *Test generation for VLSI chips with embedded memories*

Vladimirsky, Y.
718 see Shareef, I. A.

Wagner, K. D.
363 see Daehn, W.

Wagner, N. A.
250 see Golladay, S. D.

Waller, R. A.
428 see Van Horn, J. J.

Warren, H. S., Jr.
85 *Instruction scheduling for the IBM RISC System/6000 processor*

Webb, D. J.
568 see Harder, Ch. S.

Weissman, M.
325 see Bula, O.

Wiesenfeld, J. M.
141 *Electro-optic sampling of high-speed devices and integrated circuits*

Wilczynski, J. S.
601 see Deutsch, A.

Williams, T. W.
363 see Daehn, W.

Winkler, D., R. Schmitt, M. Brunner, and B. Lischke
189 *Flexible picosecond probing of integrated circuits with chopped electron beams*

Wolf, P.
568 see Harder, Ch. S.

Wolf, P.
495 see Jackson, T. N.

Wong, R. C.
314 *An ac test structure for fast memory arrays*

Wordeman, M. R.
452 see Sai-Halasz, G. A.

Woytowich, F.
325 see Bula, O.

Wright, S. L.
550 see Tiwari, S.

Wu, D. M.
276 see Vida-Torku, E. K.

Yogi, T.
884 see Speriosu, V. S.

Young, K. F.
706 *Finite element analysis of planar stress anisotropy and thermal behavior in thin-film structures*

Yu, M. L., K. Y. Ahn, and R. V. Joshi
875 *Surface chemistry of the WF_6-based chemical vapor deposition of tungsten*

Subject index for papers in Volume 34

Each index entry below is accompanied by an author's name and a page number; the author index contains the title of the paper and the names of coauthors, if any. Communications are identified by (C).

Subject	Author	Page
ac testing		
A logic chip delay-test method based on system timing	Motika	299
An ac test structure for fast memory arrays	Wong	314
Gross delay defect evaluation for a CMOS logic design system product	Bula	325
Air bearings		
Computer-aided design of slider bearings in magnetic disk files	Deckert	660
Disk file access-time constraints imposed by magnetic air-bearing compliance	Cooper	668
Algorithms		
Computation of elementary functions on the IBM RISC System/6000 processor	Markstein	111
Analog signal testing		
LAN interface chip and mixed-signal testing developments	Van Horn	428
Approximation theory		
Finding compact coordinate representations for polygons and polyhedra	Milenkovic	753
Ballistic electrons		
Ballistic hot-electron transistors	Heiblum	530
Bipolar transistors		
Compound semiconductor heterostructure bipolar transistors	Tiwari	550
Monte Carlo analysis of semiconductor devices: The DAMOCLES program	Laux	466
Boundary-scan design		
Boundary-scan design principles for efficient LSSD ASIC testing	Bassett	339
Design for testability and diagnosis in a VLSI CMOS System/370 processor	Starke	355
Built-in self-test (BIST)		
Aliasing errors in linear automata used as multiple-input signature analyzers	Daehn	363
Built-in self-test support in the IBM Engineering Design System	Keller	406
Cellular automata circuits for built-in self-test	Hortensius	389
Design for testability and diagnosis in a VLSI CMOS System/370 processor	Starke	355
Improved cutting algorithm	Savir	381
Pseudorandom built-in self-test methodology and implementation for the IBM RISC System/6000 processor	Ratiu	78
Self-testing the 16-Mbps adapter chip for the IBM token-ring local area network	Oakland	416
Carbon films		
Diamondlike carbon films by rf plasma-assisted chemical vapor deposition from acetylene	Grill	849
Carrier mobility measurement		
A submicron MOSFET parameter extraction technique	El-Kareh	243
Chemical vapor deposition		
Advances in metalorganic vapor-phase epitaxy	Tischler	828
Design of low-temperature thermal chemical vapor deposition processes	Beach	795
Diamondlike carbon films by rf plasma-assisted chemical vapor deposition from acetylene	Grill	849

Low-temperature Si and Si:Ge epitaxy by ultrahigh-vacuum/chemical vapor deposition: Process fundamentals — Meyerson 806
Selective epitaxial growth of silicon and some potential applications — Ginsberg 816
Surface chemistry of the WF_6-based chemical vapor deposition of tungsten — Yu 875

Chip testing
A logic chip delay-test method based on system timing — Motika 299
Aliasing errors in linear automata used as multiple-input signature analyzers — Daehn 363
An ac test structure for fast memory arrays — Wong 314
Boundary-scan design principles for efficient LSSD ASIC testing — Bassett 339
Built-in self-test support in the IBM Engineering Design System — Keller 406
Cellular automata circuits for built-in self-test — Hortensius 389
Design for testability and diagnosis in a VLSI CMOS System/370 processor — Starke 355
Improved cutting algorithm — Savir 381
LAN interface chip and mixed-signal testing developments — Van Horn 428
Pseudorandom built-in self-test methodology and implementation for the IBM RISC System/6000 processor — Ratiu 78
Self-testing the 16-Mbps adapter chip for the IBM token-ring local area network — Oakland 416
Simulation of embedded memories by defective hashing — Huisman 289
Test generation for VLSI chips with embedded memories — Vida-Torku 276
The development of ultra-high-frequency VLSI device test systems — Rodriguez 260

Circuit testing
A submicron electron-beam tester for VLSI circuits beyond the 4-Mb DRAM — Fox 215
A submicron MOSFET parameter extraction technique — El-Kareh 243
Electro-optic sampling of high-speed devices and integrated circuits — Wiesenfeld 141
Flexible picosecond probing of integrated circuits with chopped electron beams — Winkler 189
Internal probing of submicron FETs and photoemission using individual oxide traps — Restle 227
Picosecond noninvasive optical detection of internal electrical signals in flip-chip-mounted silicon integrated circuits — Heinrich 162
Picosecond photoelectron microscope for high-speed testing of integrated circuits — May 204
Picosecond photoemission probing of integrated circuits: Capabilities, limitations, and applications — Clauberg 173

Computer-aided design
A modeling system for top-down design of assembled products — Mäntylä 636

Computer architecture
IBM RISC System/6000 processor architecture — Oehler 23
The evolution of RISC technology at IBM — Cocke 4

Computer organization and design
Design of the IBM RISC System/6000 floating-point execution unit — Montoye 59
Leading-zero anticipator (LZA) in the IBM RISC System/6000 floating-point execution unit — Hokenek 71
Machine organization of the IBM RISC System/6000 processor — Grohoski 37
The IBM RISC System/6000 processor: Hardware overview — Bakoglu 12

Data structure and accessing
Managing programs and libraries in AIX Version 3 for RISC System/6000 processors — Auslander 98

Defective hashing
Simulation of embedded memories by defective hashing — Huisman 289

Design automation
A modeling system for top-down design of assembled products — Mäntylä 636

Design for testability
Aliasing errors in linear automata used as multiple-input signature analyzers — Daehn 363
Boundary-scan design principles for efficient LSSD ASIC testing — Bassett 339
Built-in self-test support in the IBM Engineering Design System — Keller 406
Cellular automata circuits for built-in self-test — Hortensius 389
Design for testability and diagnosis in a VLSI CMOS System/370 processor — Starke 355
Improved cutting algorithm — Savir 381
LAN interface chip and mixed-signal testing developments — Van Horn 428
Self-testing the 16-Mbps adapter chip for the IBM token-ring local area network — Oakland 416

Disk file technology
Computer-aided design of slider bearings in magnetic disk files — Deckert 660
Disk file access-time constraints imposed by magnetic air-bearing compliance — Cooper 668

E-beam probes for electrical testing
A submicron electon-beam tester for VLSI circuits beyond the 4-Mb DRAM — Fox 215
Electron-beam technology for open/short testing of multichip substrates — Golladay 250
Flexible picosecond probing of integrated circuits with chopped electron beams — Winkler 189
Picosecond photoelectron microscope for high-speed testing of integrated circuits — May 204

Electrodeposition
Computation of current distribution in electrodeposition, a review — Dukovic 693

Electromagnetic modeling
An electromagnetic approach for modeling high-performance computer packages — Rubin — 585

Field-effect transistors
Experimental technology and performance of 0.1-μm-gate-length FETs operated at liquid-nitrogen temperature — Sai-Halasz — 452
Heterojunction FETs in III–V compounds — Kiehl — 506
Monte Carlo analysis of semiconductor devices: The DAMOCLES program — Laux — 466
Submicron-gate-length GaAs MESFETs — Jackson — 495

Finite element analysis
A simple finite element model for reactive sputter-deposition systems — Jones — 680
Finite element analysis of planar stress anisotropy and thermal behavior in thin-film structures — Young — 706
Thermoelastic behavior of X-ray lithography masks during irradiation — Shareef — 718

Geometry
Finding compact coordinate representations for polygons and polyhedra — Milenkovic — 753
Finding the distance between two circles in three-dimensional space — Neff — 770
Pythagorean hodographs — Farouki — 736

Integrated circuits
On-chip wiring for VLSI: Status and directions — Small — 858

Lithography
Thermoelastic behavior of X-ray lithography masks during irradiation — Shareef — 718

LSSD design
Boundary-scan design principles for efficient LSSD ASIC testing — Bassett — 339

Lubrication
Computer-aided design of slider bearings in magnetic disk files — Deckert — 660

Magnetic head design
Computer-aided design of slider bearings in magnetic disk files — Deckert — 660
Disk file access-time constraints imposed by magnetic air-bearing compliance — Cooper — 668
Finite element analysis of planar stress anisotropy and thermal behavior in thin-film structures — Young — 706

Magnetic storage
Magnetic multilayer structures — Farrow — 903
Magnetic thin films in recording technology — Speriosu — 884

Mathematical functions and techniques
Finding compact coordinate representations for polygons and polyhedra — Milenkovic — 753
Finding the distance between two circles in three-dimensional space — Neff — 770
Pythagorean hodographs — Farouki — 736

Mechanical design
A modeling system for top-down design of assembled products — Mäntylä — 636

Memory management
Instruction scheduling beyond basic blocks — Golumbic — 93
Instruction scheduling for the IBM RISC System/6000 processor — Warren — 85

Metal films
Design of low-temperature thermal chemical vapor deposition processes — Beach — 795
Surface chemistry of the WF_6-based chemical vapor deposition of tungsten — Yu — 875

Metal–semiconductor contacts
Compound semiconductor heterostructure bipolar transistors — Tiwari — 550

Mixed-signal testing
LAN interface chip and mixed-signal testing developments — Van Horn — 428

Models and modeling
A modeling system for top-down design of assembled products — Mäntylä — 636
A simple finite element model for reactive sputter-deposition systems — Jones — 680
Computation of current distribution in electrodeposition, a review — Dukovic — 693
Computer-aided design of slider bearings in magnetic disk files — Deckert — 660
Disk file access-time constraints imposed by magnetic air-bearing compliance — Cooper — 668
Finding compact coordinate representations for polygons and polyhedra — Milenkovic — 753
Finding the distance between two circles in three-dimensional space — Neff — 770
Finite element analysis of planar stress anisotropy and thermal behavior in thin-film structures — Young — 706
High-speed signal propagation on lossy transmission lines — Deutsch — 601
Monte Carlo analysis of semiconductor devices: The DAMOCLES program — Laux — 466
Pythagorean hodographs — Farouki — 736
Thermoelastic behavior of X-ray lithography masks during irradiation — Shareef — 718

Module testing
Gross delay defect evaluation for a CMOS logic design system product — Bula — 325

Multilevel interconnections
On-chip wiring for VLSI: Status and directions — Small — 858

Noncontact electrical testing
A submicron electron-beam tester for VLSI circuits beyond the 4-Mb DRAM — Fox — 215

Electro-optic sampling of high-speed devices and integrated circuits — Wiesenfeld — 141
Electron-beam technology for open/short testing of multichip substrates — Golladay — 250
Flexible picosecond probing of integrated circuits with chopped electron beams — Winkler — 189
Picosecond noninvasive optical detection of internal electrical signals in flip-chip-mounted silicon integrated circuits — Heinrich — 162
Picosecond photoelectron microscope for high-speed testing of integrated circuits — May — 204
Picosecond photoemission probing of integrated circuits: Capabilities, limitations, and applications — Clauberg — 173

Optical probes for electrical testing
Electro-optic sampling of high-speed devices and integrated circuits — Wiesenfeld — 141
Picosecond noninvasive optical detection of internal electrical signals in flip-chip-mounted silicon integrated circuits — Heinrich — 162
Picosecond photoemission probing of integrated circuits: Capabilities, limitations, and applications — Clauberg — 173

Optoelectronic device technology
High-speed GaAs/AlGaAs optoelectronic devices for computer applications — Harder — 568

Package testing
Electron-beam technology for open/short testing of multichip substrates — Golladay — 250

Packaging
An electromagnetic approach for modeling high-performance computer packages — Rubin — 585

Parallel processing
High-speed signal propagation on lossy transmission lines — Deutsch — 601

Photodetectors
High-speed GaAs/AlGaAs optoelectronic devices for computer applications — Harder — 568

Photoemission probing
Picosecond photoemission probing of integrated circuits: Capabilities, limitations, and applications — Clauberg — 173

Picosecond measurements
Electro-optic sampling of high-speed devices and integrated circuits — Wiesenfeld — 141
Flexible picosecond probing of integrated circuits with chopped electron beams — Winkler — 189
Picosecond noninvasive optical detection of internal electrical signals in flip-chip-mounted silicon integrated circuits — Heinrich — 162
Picosecond photoelectron microscope for high-speed testing of integrated circuits — May — 204
Picosecond photoemission probing of integrated circuits: Capabilities, limitations, and applications — Clauberg — 173

Plating
Computation of current distribution in electrodeposition, a review — Dukovic — 693

Programming systems development
Evolution of storage facilities in AIX Version 3 for RISC System/6000 processors — Chang — 105
Managing programs and libraries in AIX Version 3 for RISC System/6000 processors — Auslander — 98

Reduced-instruction-set computers
Computation of elementary functions on the IBM RISC System/6000 processor — Markstein — 111
Design of the IBM RISC System/6000 floating-point execution unit — Montoye — 59
Evolution of storage facilities in AIX Version 3 for RISC System/6000 processors — Chang — 105
IBM RISC System/6000 processor architecture — Oehler — 23
Instruction scheduling beyond basic blocks — Golumbic — 93
Instruction scheduling for the IBM RISC System/6000 processor — Warren — 85
Leading-zero anticipator (LZA) in the IBM RISC System/6000 floating-point execution unit — Hokenek — 71
Machine organization of the IBM RISC System/6000 processor — Grohoski — 37
Managing programs and libraries in AIX Version 3 for RISC System/6000 processors — Auslander — 98
Pseudorandom built-in self-test methodology and implementation for the IBM RISC System/6000 processor — Ratiu — 78
The evolution of RISC technology at IBM — Cocke — 4
The IBM RISC System/6000 processor: Hardware overview — Bakoglu — 12

Scheduling
Instruction scheduling beyond basic blocks — Golumbic — 93
Instruction scheduling for the IBM RISC System/6000 processor — Warren — 85

Semiconductor device modeling
Monte Carlo analysis of semiconductor devices: The DAMOCLES program — Laux — 466

Semiconductor devices
Ballistic hot-electron transistors — Heiblum — 530
Compound semiconductor heterostructure bipolar transistors — Tiwari — 550
Experimental technology and performance of 0.1-μm-gate-length FETs operated at liquid-nitrogen temperature — Sai-Halasz — 452
Heterojunction FETs in III–V compounds — Kiehl — 506
High-speed GaAs/AlGaAs optoelectronic devices for computer applications — Harder — 568

Monte Carlo analysis of semiconductor devices: The DAMOCLES program — Laux 466
Selective epitaxial growth of silicon and some potential applications — Ginsberg 816
Submicron-gate-length GaAs MESFETs — Jackson 495

Semiconductor layers
Advances in metalorganic vapor-phase epitaxy — Tischler 828
Low-temperature Si and Si:Ge epitaxy by ultrahigh-vacuum/chemical vapor deposition: Process fundamentals — Meyerson 806
Selective epitaxial growth of silicon and some potential applications — Ginsberg 816

Silicide films
Surface and interfacial energies of $CoSi_2$ and Si films: Implications regarding formation of three-dimensional silicon–silicide structures — Tu 868

Simulation
A simple finite element model for reactive sputter-deposition systems — Jones 680
Computer-aided design of slider bearings in magnetic disk files — Deckert 660
Finite element analysis of planar stress anisotropy and thermal behavior in thin-film structures — Young 706
High-speed signal propagation on lossy transmission lines — Deutsch 601
Thermoelastic behavior of X-ray lithography masks during irradiation — Shareef 718

Slider bearings
Computer-aided design of slider bearings in magnetic disk files — Deckert 660

Software interactions
Managing programs and libraries in AIX Version 3 for RISC System/6000 processors — Auslander 98

Solid modeling
A modeling system for top-down design of assembled products — Mäntylä 636
Finding compact coordinate representations for polygons and polyhedra — Milenkovic 753
Finding the distance between two circles in three-dimensional space — Neff 770
Pythagorean hodographs — Farouki 736

Solid state physics
Ballistic hot-electron transistors — Heiblum 530
Monte Carlo analysis of semiconductor devices: The DAMOCLES program — Laux 466

Sputter deposition
A simple finite element model for reactive sputter-deposition systems — Jones 680

Substrates
Lanthanide gallate perovskite-type substrates for epitaxial, high-T_c superconducting $Ba_2YCu_3O_{7-\delta}$ films — Giess 916

Superconducting films
Lanthanide gallate perovskite-type substrates for epitaxial, high-T_c superconducting $Ba_2YCu_3O_{7-\delta}$ films — Giess 916

Surface phenomena
Surface and interfacial energies of $CoSi_2$ and Si films: Implications regarding formation of three-dimensional silicon–silicide structures — Tu 868
Surface chemistry of the WF_6-based chemical vapor deposition of tungsten — Yu 875

Systems architecture and development
IBM RISC System/6000 processor architecture — Oehler 23
The evolution of RISC technology at IBM — Cocke 4
The IBM RISC System/6000 processor: Hardware overview — Bakoglu 12

Test-pattern generation
Cellular automata circuits for built-in self-test — Hortensius 389
Design for testability and diagnosis in a VLSI CMOS System/370 processor — Starke 355
Test generation for VLSI chips with embedded memories — Vida-Torku 276
The development of ultra-high-frequency VLSI device test systems — Rodriguez 260

Thin magnetic films
A simple finite element model for reactive sputter-deposition systems — Jones 680
Finite element analysis of planar stress anisotropy and thermal behavior in thin-film structures — Young 706
Magnetic multilayer structures — Farrow 903
Magnetic thin films in recording technology — Speriosu 884

Transmission lines
High-speed signal propagation on lossy transmission lines — Deutsch 601

UHF testing
The development of ultra-high-frequency VLSI device test systems — Rodriguez 260

VLSI design
Boundary-scan design principles for efficient LSSD ASIC testing — Bassett 339
Built-in self-test support in the IBM Engineering Design System — Keller 406
Design for testability and diagnosis in a VLSI CMOS System/370 processor — Starke 355
High-speed signal propagation on lossy transmission lines — Deutsch 601

X-ray lithography
Thermoelastic behavior of X-ray lithography masks during irradiation — Shareef 718


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
7.1
8.0
9.0